

BR	Kat.	Namjena	Dimenzija			XL	IC	CV	Model	EXT/RFT	WET GRIP	FUEL EFFICIENCY	ROLL NOISE	NOISE VAL	MPC
BS	4W1	4X4	195	80	15		96	R	DM-V2	TL	F	G	2	72	750,00 kn
BS	4W1	4X4	205	80	16	XL	104	T	LM80EVO	TL	C	E	2	72	919,00 kn
BS	4W1	4X4	205	80	16	XL	104	R	DM-V2	TL	F	G	2	72	913,00 kn
BS	4W1	4X4	215	80	15		102	R	DM-V2	TL	F	F	2	72	828,00 kn
BS	CW1	LIGHT TRUCK	175	75	14		99	R	W810	TL	C	F	2	75	641,00 kn
BS	CW1	LIGHT TRUCK	185	75	16		104	R	W810	TL	B	F	2	75	818,00 kn
BS	CW1	LIGHT TRUCK	195	75	16		107	R	W800	TL	B	F	2	71	750,00 kn
BS	CW1	LIGHT TRUCK	195	75	16		107	R	W810	TL	A	E	2	75	751,00 kn
BS	CW1	LIGHT TRUCK	195	75	16		107	R	W810	TL	B	E	2	75	748,00 kn
BS	CW1	LIGHT TRUCK	195	75	16		107	R	W995	TL	E	E	2	75	748,00 kn
BS	CW1	LIGHT TRUCK	205	75	16		110	R	W810	TL	A	E	2	75	829,00 kn
BS	CW1	LIGHT TRUCK	215	75	16		113	R	W810	TL	C	E	2	75	1.098,00 kn
BS	CW1	LIGHT TRUCK	215	75	16		116	R	W810	TL	C	E	2	75	1.158,00 kn
BS	CW1	LIGHT TRUCK	215	75	16		113	R	W995	TL	E	E	2	75	974,00 kn
BS	CW1	LIGHT TRUCK	225	75	16		121	R	W810	TL	C	E	2	75	1.088,00 kn
BS	4W1	4X4	225	75	16		104	R	DM-V2	TL	F	F	2	72	1.103,00 kn
BS	4W1	4X4	235	75	15	XL	109	T	LM80EVO	TL	C	E	2	72	849,00 kn
BS	4W1	4X4	235	75	15	XL	109	R	DM-V2	TL	F	F	2	72	765,00 kn
BS	4W1	4X4	245	75	16		111	R	DM-V2	TL	F	F	2	72	1.017,00 kn
BS	PW1	PASSENGER	155	70	19	XL	88	Q	LM500	TL	B	C	2	69	1.164,00 kn
BS	PW1	PASSENGER	155	70	19		84	Q	LM500	TL	B	C	2	69	1.086,00 kn
BS	PW1	PASSENGER	165	70	14		81	T	LM001	TL	C	E	2	71	414,00 kn
BS	CW1	LIGHT TRUCK	165	70	14		89	R	LM32C	TL	B	F	2	73	749,00 kn
BS	PW1	PASSENGER	175	70	14		84	T	LM001	TL	C	E	2	71	487,00 kn
BS	PW1	PASSENGER	175	70	14	XL	88	T	LM001	TL	C	E	2	71	531,00 kn
BS	PW1	PASSENGER	185	70	14		88	T	LM001	TL	C	E	2	71	561,00 kn
BS	PW1	PASSENGER	195	70	14		91	T	LM20	TL	C	E	2	72	577,00 kn
BS	CW1	LIGHT TRUCK	195	70	15		104	R	W810	TL	C	F	2	75	685,00 kn
BS	CW1	LIGHT TRUCK	195	70	15		104	R	W995	TL	E	E	2	75	694,00 kn
BS	PW2	PASSENGER	205	70	16		97	H	LM001	TL	C	E	2	72	706,00 kn
BS	CW1	LIGHT TRUCK	205	70	15		106	R	W810	TL	C	F	2	75	807,00 kn
BS	4W1	4X4	205	70	15		96	T	LM80EVO	TL	C	E	2	72	743,00 kn
BS	4W1	4X4	205	70	15		96	S	DM-V2	TL	F	G	2	72	725,00 kn
BS	CW1	LIGHT TRUCK	215	70	15		109	R	W810	TL	C	E	2	75	866,00 kn
BS	4W1	4X4	215	70	15		98	S	DM-V2	TL	F	G	2	72	756,00 kn
BS	4W1	4X4	215	70	16		100	T	LM80EVO	TL	C	E	2	72	820,00 kn
BS	4W1	4X4	215	70	16		100	S	DM-V2	TL	F	F	2	72	824,00 kn
BS	4W1	4X4	215	70	17		101	S	DM-V2	TL	F	G	2	72	1.239,00 kn
BS	CW1	LIGHT TRUCK	225	70	15		112	R	W810	TL	C	E	2	75	907,00 kn
BS	CW1	LIGHT TRUCK	225	70	15		112	R	W995	TL	E	E	2	75	836,00 kn
BS	4W1	4X4	225	70	16		103	T	LM80EVO	TL	C	E	2	71	968,00 kn
BS	4W1	4X4	225	70	16		103	S	DM-V2	TL	F	F	2	72	870,00 kn
BS	4W1	4X4	235	70	16		106	S	DM-V2	TL	F	F	2	72	981,00 kn
BS	4W1	4X4	245	70	16	XL	111	T	LM80EVO	TL	C	C	2	72	982,00 kn
BS	4W1	4X4	245	70	16		107	T	LM80EVO	TL	C	E	2	72	991,00 kn
BS	4W1	4X4	245	70	16		107	S	DM-V2	TL	F	F	2	72	1.030,00 kn
BS	4W1	4X4	245	70	17		110	S	DM-V2	TL	F	F	2	72	1.242,00 kn
BS	4W1	4X4	255	70	16		111	S	DM-V2	TL	F	F	2	73	1.134,00 kn
BS	4W1	4X4	255	70	17		112	S	DM-V2	TL	F	F	2	73	1.556,00 kn
BS	4W1	4X4	265	70	15		112	R	DM-V2	TL	F	F	2	73	1.183,00 kn
BS	4W1	4X4	265	70	16		112	R	DM-V2	TL	F	F	2	73	1.157,00 kn
BS	4W1	4X4	265	70	17		115	R	DM-V2	TL	F	F	2	73	1.230,00 kn
BS	4W1	4X4	275	70	16		114	R	DM-V2	TL	F	F	2	73	1.181,00 kn
BS	4W1	4X4	285	70	17		117	R	DM-V2	TL	F	F	2	75	1.977,00 kn
BS	PW1	PASSENGER	155	65	14		75	T	LM001	TL	C	E	2	71	390,00 kn
BS	PW1	PASSENGER	165	65	14		79	T	LM001	TL	C	E	2	71	457,00 kn
BS	PW1	PASSENGER	165	65	15		81	T	LM20	TL	C	F	2	71	474,00 kn
BS	PW2	PASSENGER	175	65	15		84	H	WS80	TL	F	F	2	71	512,00 kn
BS	PW1	PASSENGER	175	65	14		82	T	LM001	TL	B	E	2	71	402,00 kn
BS	PW1	PASSENGER	175	65	14	XL	86	T	WS80	TL	F	F	2	71	496,00 kn
BS	PW1	PASSENGER	175	65	15		84	T	LM30	TL	C	F	2	70	442,00 kn
BS	CW1	LIGHT TRUCK	175	65	14		90	T	LM32C	TL	B	F	2	73	730,00 kn
BS	PW3	SENGER RUNP	185	65	15	XL	92	H	DRIVEGW	RFT	B	C	2	71	493,00 kn
BS	PW1	PASSENGER	185	65	14		86	T	LM001	TL	C	E	2	71	481,00 kn
BS	PW1	PASSENGER	185	65	15		88	T	LM001	TL	C	E	2	71	440,00 kn
BS	PW1	PASSENGER	185	65	15	XL	92	T	LM001	TL	C	E	2	71	510,00 kn

BS	PW1	PASSENGER	185	65	15	XL	92	T	WS80	TL	F	F	2	71	539,00 kn
BS	PW3	SENGER RUNF	195	65	15	XL	95	H	DRIVEGW	RFT	B	C	2	72	493,00 kn
BS	PW2	PASSENGER	195	65	15		91	H	LM32	TL	C	F	2	72	529,00 kn
BS	PW1	PASSENGER	195	65	15		91	T	LM001E	TL	B	C	2	72	425,00 kn
BS	PW1	PASSENGER	195	65	15	XL	95	T	LM001E	TL	B	C	2	72	485,00 kn
BS	PW1	PASSENGER	195	65	15		91	T	LM32	TL	C	F	2	71	439,00 kn
BS	PW1	PASSENGER	195	65	15	XL	95	T	WS80	TL	F	F	2	72	579,00 kn
BS	CW1	LIGHT TRUCK	195	65	16		104	T	W810	TL	C	E	2	75	824,00 kn
BS	PW2	PASSENGER	205	65	15		94	H	LM001	TL	C	E	2	72	743,00 kn
BS	PW2	PASSENGER	205	65	16		95	H	LM001	TL	B	C	2	72	905,00 kn
BS	PW1	PASSENGER	205	65	15		94	T	LM001	TL	C	E	2	72	702,00 kn
BS	CW1	LIGHT TRUCK	205	65	15		102	T	LM32C	TL	B	F	2	73	846,00 kn
BS	CW1	LIGHT TRUCK	205	65	16		103	T	LM32C	TL	B	F	2	73	917,00 kn
BS	CW1	LIGHT TRUCK	205	65	16		107	T	W810	TL	C	E	2	75	972,00 kn
BS	CW1	LIGHT TRUCK	205	65	16		107	R	W995	TL	E	E	2	75	855,00 kn
BS	PW2	PASSENGER	215	65	17		99	H	LM001	TL	C	E	2	72	1.027,00 kn
BS	PW2	PASSENGER	215	65	17		99	H	LM001	SLT	B	C	2	71	1.169,00 kn
BS	PW1	PASSENGER	215	65	16	XL	102	T	WS80	TL	F	F	2	72	784,00 kn
BS	CW1	LIGHT TRUCK	215	65	16		106	T	LM32C	TL	B	E	2	73	928,00 kn
BS	CW1	LIGHT TRUCK	215	65	16		109	R	W810	TL	C	E	2	75	1.013,00 kn
BS	CW1	LIGHT TRUCK	215	65	16		109	T	W810	TL	C	E	2	75	967,00 kn
BS	CW1	LIGHT TRUCK	215	65	16		109	R	W995	TL	E	E	2	75	914,00 kn
BS	4W1	4X4	215	65	16		98	T	LM80EVO	TL	C	E	2	71	763,00 kn
BS	4W1	4X4	215	65	16		98	H	LM80EVO	TL	C	C	2	71	799,00 kn
BS	4W1	4X4	215	65	16	XL	102	H	LM80EVO	TL	C	E	2	71	839,00 kn
BS	4W1	4X4	215	65	16		98	H	LM80	TL	C	F	2	72	802,00 kn
BS	4W1	4X4	215	65	16	XL	102	R	DM-V2	TL	F	F	2	72	741,00 kn
BS	4W1	4X4	215	65	16		98	S	DM-V2	TL	F	F	2	72	774,00 kn
BS	4W1	4X4	215	65	17		99	H	LM001	TL				0	1.184,00 kn
BS	PW2	PASSENGER	225	65	17		102	H	WS80	TL	F	F	2	72	1.206,00 kn
BS	CW1	LIGHT TRUCK	225	65	16		112	R	W810	TL	C	E	2	75	1.037,00 kn
BS	CW1	LIGHT TRUCK	225	65	16		112	R	W810	TL	B	E	2	75	1.034,00 kn
BS	CW1	LIGHT TRUCK	225	65	16		112	R	W995	TL	E	E	2	75	976,00 kn
BS	4W1	4X4	225	65	17		102	H	LM80EVO	TL	C	E	2	71	1.141,00 kn
BS	4W1	4X4	225	65	17		102	S	DM-V2	TL	F	F	2	72	1.202,00 kn
BS	4W1	4X4	225	65	17	XL	106	S	DM-V2	TL	F	F	2	72	1.244,00 kn
BS	4W1	4X4	225	65	18		103	S	DM-V2	TL	F	F	2	72	1.231,00 kn
BS	CW1	LIGHT TRUCK	235	65	16		115	R	W810	TL	C	E	2	75	1.149,00 kn
BS	CW1	LIGHT TRUCK	235	65	16		115	R	W995	TL	E	E	2	75	1.076,00 kn
BS	4W1	4X4	235	65	17	XL	108	H	LM80EVO	TL	C	E	2	71	1.089,00 kn
BS	4W1	4X4	235	65	17		104	H	LM80EVO	TL	C	E	2	71	1.072,00 kn
BS	4W1	4X4	235	65	17	XL	108	S	DM-V2	TL	F	F	2	72	1.276,00 kn
BS	4W1	4X4	235	65	18	XL	110	H	LM80EVO	TL	C	E	2	71	1.259,00 kn
BS	4W1	4X4	235	65	18		106	S	DM-V2	TL	F	F	2	72	1.428,00 kn
BS	4W1	4X4	245	65	17	XL	111	H	LM80EVO	TL	C	E	2	72	1.401,00 kn
BS	4W1	4X4	245	65	17	XL	111	T	LM80	TL	C	F	2	72	1.328,00 kn
BS	4W1	4X4	245	65	17		107	S	DM-V2	TL	F	F	2	72	1.356,00 kn
BS	4W1	4X4	255	65	16		109	H	LM80EVO	TL	C	E	2	73	1.045,00 kn
BS	4W1	4X4	255	65	17		110	H	LM80EVO	TL	C	E	2	73	1.313,00 kn
BS	4W1	4X4	255	65	17		110	S	DM-V2	TL	F	F	2	73	1.340,00 kn
BS	4W1	4X4	265	65	17		112	H	LM80EVO	TL	C	E	2	73	1.412,00 kn
BS	4W1	4X4	265	65	17		112	R	DM-V2	TL	F	F	2	73	1.390,00 kn
BS	4W1	4X4	275	65	17		115	R	DM-V2	TL	F	E	2	73	1.507,00 kn
BS	4W1	4X4	275	65	18		114	R	DM-V2	TL	F	E	2	73	1.654,00 kn
BS	4W1	4X4	285	65	17		116	R	DM-V2	TL	F	E	2	75	1.798,00 kn
BS	PW1	PASSENGER	175	60	15		81	T	LM32	TL	C	G	2	70	496,00 kn
BS	PW3	SENGER RUNF	185	60	15	XL	88	H	DRIVEGW	RFT	B	E	2	71	536,00 kn
BS	PW2	PASSENGER	185	60	15	XL	88	H	LM32	TL	C	E	2	71	584,00 kn
BS	PW1	PASSENGER	185	60	14		82	T	LM001	TL	C	E	2	71	450,00 kn
BS	PW1	PASSENGER	185	60	15		84	T	LM001E	TL	B	C	2	71	471,00 kn
BS	PW1	PASSENGER	185	60	15	XL	88	T	LM001	TL	C	E	2	71	478,00 kn
BS	PW1	PASSENGER	185	60	15	XL	88	T	WS80	TL	F	G	2	71	506,00 kn
BS	PW1	PASSENGER	185	60	16		86	T	LM001	TL	B	C	2	71	508,00 kn
BS	PW2	PASSENGER	195	60	15		88	H	LM001	TL	C	E	2	72	607,00 kn
BS	PW2	PASSENGER	195	60	16		89	H	LM25	TL	B	F	2	72	746,00 kn
BS	PW1	PASSENGER	195	60	15		88	T	LM001	TL	C	E	2	72	528,00 kn
BS	CW1	LIGHT TRUCK	195	60	16		99	T	LM32C	TL	B	E	2	73	822,00 kn
BS	PW3	SENGER RUNF	205	60	16		92	H	LM001	RFT	B	E	2	72	821,00 kn
BS	PW3	SENGER RUNF	205	60	16	XL	96	H	DRIVEGW	RFT	B	C	2	72	765,00 kn
BS	PW3	SENGER RUNF	205	60	16		92	H	LM32	RFT	C	F	2	72	822,00 kn
BS	PW3	SENGER RUNF	205	60	16	XL	96	H	LM001	RFT				0	882,00 kn
BS	PW2	PASSENGER	205	60	16		92	H	LM001	TL	C	E	2	72	682,00 kn
BS	PW2	PASSENGER	205	60	16	XL	96	H	LM001	TL	C	E	2	72	691,00 kn
BS	PW2	PASSENGER	205	60	16		92	H	LM001	TL	B	C	2	72	683,00 kn
BS	PW2	PASSENGER	205	60	16		92	H	LM32	TL	C	E	2	70	704,00 kn
BS	PW2	PASSENGER	205	60	16		92	H	LM001	TL	B	E	2	72	704,00 kn
BS	PW2	PASSENGER	205	60	16	XL	96	H	LM001	TL				0	713,00 kn
BS	PW2	PASSENGER	205	60	16		92	H	LM001	TL	B	C	2	72	703,00 kn
BS	PW2	PASSENGER	205	60	17		93	H	LM001	TL	B	C	2	72	999,00 kn
BS	PW1	PASSENGER	205	60	16	XL	96	T	WS80	TL	F	F	2	72	746,00 kn

BS	CW1	LIGHT TRUCK	205	60	16		100	T	LM32C	TL	B	F	2	73	986,00 kn
BS	4W1	4X4	205	60	16		92	H	LM25-1	TL	E	F	2	71	725,00 kn
BS	PW2	PASSENGER	215	60	16	XL	99	H	LM001	TL	C	E	2	72	850,00 kn
BS	PW1	PASSENGER	215	60	16	XL	99	T	WS80	TL	F	F	2	72	923,00 kn
BS	CW1	LIGHT TRUCK	215	60	16		103	T	LM32C	TL	B	E	2	73	1.040,00 kn
BS	4W1	4X4	215	60	17		96	H	LM80EVO	TL	C	E	2	71	1.078,00 kn
BS	4W1	4X4	215	60	17	XL	100	R	DM-V2	TL	F	F	2	72	1.140,00 kn
BS	4W1	4X4	215	60	17		96	S	DM-V2	TL	F	G	2	72	1.127,00 kn
BS	PW2	PASSENGER	225	60	16		98	H	LM32	TL	E	F	2	71	922,00 kn
BS	PW2	PASSENGER	225	60	17		99	H	WS80	TL	F	F	2	72	1.111,00 kn
BS	4W2	4X4 RUNFLAT	225	60	18	XL	104	H	LM001	RFT	B	C	2	72	1.554,00 kn
BS	4W1	4X4	225	60	17		99	H	LM80EVO	TL	C	E	2	71	1.204,00 kn
BS	4W1	4X4	225	60	17	XL	103	R	DM-V2	TL	F	F	2	72	1.269,00 kn
BS	4W1	4X4	225	60	17		99	S	DM-V2	TL	F	F	2	72	1.182,00 kn
BS	4W1	4X4	225	60	18		100	H	LM80EVO	TL	C	E	2	71	1.201,00 kn
BS	4W1	4X4	225	60	18	XL	104	H	LM001	TL	B	C	2	72	1.296,00 kn
BS	4W1	4X4	225	60	18		100	S	DM-V2	TL	F	F	2	72	1.120,00 kn
BS	PW2	PASSENGER	235	60	17		102	H	LM32	TL	E	F	2	72	1.209,00 kn
BS	4W1	4X4	235	60	16		100	H	LM80EVO	TL	C	E	2	72	970,00 kn
BS	4W1	4X4	235	60	16		100	S	DM-V2	TL	F	F	2	72	1.060,00 kn
BS	4W1	4X4	235	60	17		102	H	LM25-4	TL	E	F	2	72	1.236,00 kn
BS	4W1	4X4	235	60	17		102	S	DM-V2	TL	F	F	2	72	1.287,00 kn
BS	4W1	4X4	235	60	18	XL	107	H	LM80EVO	TL	C	C	2	71	1.127,00 kn
BS	4W1	4X4	235	60	18		103	H	LM80EVO	TL	C	E	2	72	1.297,00 kn
BS	4W1	4X4	235	60	18	XL	107	V	LM80EVO	TL	C	E	2	71	1.228,00 kn
BS	4W1	4X4	235	60	18	XL	107	S	DM-V2	TL	F	F	2	72	1.368,00 kn
BS	4W1	4X4	245	60	18		105	S	DM-V2	TL	F	F	2	72	1.523,00 kn
BS	4W1	4X4	255	60	17		106	H	LM80EVO	TL	C	E	2	73	1.255,00 kn
BS	4W1	4X4	255	60	17		106	S	DM-V2	TL	F	F	2	73	1.416,00 kn
BS	4W1	4X4	255	60	18	XL	112	H	LM80EVO	TL	C	E	2	73	1.270,00 kn
BS	4W1	4X4	255	60	18	XL	112	S	DM-V2	TL	F	F	2	73	1.494,00 kn
BS	4W1	4X4	265	60	18		110	H	LM80EVO	TL	C	C	2	73	1.398,00 kn
BS	4W1	4X4	265	60	18		110	R	DM-V2	TL	F	F	2	73	1.515,00 kn
BS	4W1	4X4	275	60	18		113	H	LM80EVO	TL	C	E	2	73	1.631,00 kn
BS	4W1	4X4	275	60	18		113	R	DM-V2	TL	F	F	2	73	1.525,00 kn
BS	4W1	4X4	275	60	20		115	R	DM-V2	TL				0	1.828,00 kn
BS	4W1	4X4	285	60	18		116	R	DM-V2	TL	F	E	2	75	1.609,00 kn
BS	PW2	PASSENGER	185	55	15	XL	86	H	LM001	TL	C	E	2	71	664,00 kn
BS	PW1	PASSENGER	185	55	15		82	T	LM001	TL	C	E	2	71	617,00 kn
BS	PW1	PASSENGER	185	55	16	XL	87	T	LM25	TL	C	F	2	71	735,00 kn
BS	PW3	SENGER RUNF	195	55	16	XL	91	H	DRIVEGW	RFT	B	C	2	72	814,00 kn
BS	PW3	SENGER RUNF	195	55	16		87	H	LM25	RFT	E	F	2	71	874,00 kn
BS	PW3	SENGER RUNF	195	55	16		87	H	LM001	RFT	C	E	2	72	873,00 kn
BS	PW2	PASSENGER	195	55	15		85	H	LM001	TL	C	E	2	72	680,00 kn
BS	PW2	PASSENGER	195	55	16		87	H	LM001	TL	C	E	2	72	731,00 kn
BS	PW2	PASSENGER	195	55	16		87	H	LM32	TL	B	F	2	71	752,00 kn
BS	PW2	PASSENGER	195	55	16	XL	91	V	LM001	TL				0	880,00 kn
BS	PW1	PASSENGER	195	55	16		87	T	LM001	TL	C	E	2	72	718,00 kn
BS	PW1	PASSENGER	195	55	16	XL	91	T	WS80	TL	F	F	2	72	773,00 kn
BS	PW3	SENGER RUNF	205	55	16		91	H	LM001	RFT	C	E	2	72	828,00 kn
BS	PW3	SENGER RUNF	205	55	16	XL	94	V	DRIVEGW	RFT	B	C	2	72	728,00 kn
BS	PW2	PASSENGER	205	55	16		91	H	LM001E	TL	B	C	2	72	653,00 kn
BS	PW2	PASSENGER	205	55	16	XL	94	H	LM001	TL	C	E	2	72	744,00 kn
BS	PW2	PASSENGER	205	55	16	XL	94	V	LM001	TL	C	E	2	72	880,00 kn
BS	PW2	PASSENGER	205	55	16		91	H	LM32	TL	C	E	2	71	667,00 kn
BS	PW2	PASSENGER	205	55	16		91	H	LM001	TL	B	E	2	72	670,00 kn
BS	PW2	PASSENGER	205	55	16		91	H	LM32	TL	E	G	2	72	668,00 kn
BS	PW2	PASSENGER	205	55	17	XL	95	H	LM001	TL	C	E	2	72	1.071,00 kn
BS	PW2	PASSENGER	205	55	17		91	H	LM001	TL	B	C	2	71	1.086,00 kn
BS	PW1	PASSENGER	205	55	16		91	T	LM001E	TL	B	C	2	72	646,00 kn
BS	PW1	PASSENGER	205	55	16	XL	94	T	WS80	TL	F	F	2	72	765,00 kn
BS	4W2	4X4 RUNFLAT	205	55	17		91	H	LM25-1	RFT	F	F	2	71	1.385,00 kn
BS	PW3	SENGER RUNF	215	55	16	XL	97	H	DRIVEGW	RFT	B	C	2	72	974,00 kn
BS	PW2	PASSENGER	215	55	16		93	H	LM001	TL	C	E	2	72	874,00 kn
BS	PW2	PASSENGER	215	55	16		93	V	LM32	TL	C	E	2	71	1.035,00 kn
BS	PW2	PASSENGER	215	55	16	XL	97	H	LM001	TL	C	E	2	72	909,00 kn
BS	PW2	PASSENGER	215	55	16	XL	97	H	WS80	TL	F	F	2	72	917,00 kn
BS	PW2	PASSENGER	215	55	17		94	V	LM001	TL	C	E	2	72	1.145,00 kn
BS	PW2	PASSENGER	215	55	17	XL	98	V	LM001	TL	C	C	2	72	1.054,00 kn
BS	PW2	PASSENGER	215	55	17	XL	98	V	LM001	TL				0	1.056,00 kn
BS	PW1	PASSENGER	215	55	17	XL	98	T	WS80	TL	F	F	2	72	1.040,00 kn
BS	PW3	SENGER RUNF	225	55	16		95	H	LM32	RFT	C	F	2	72	1.018,00 kn
BS	PW3	SENGER RUNF	225	55	17	XL	101	V	DRIVEGW	RFT	B	C	2	72	1.159,00 kn
BS	PW3	SENGER RUNF	225	55	17		97	H	LM001	RFT	B	C	2	72	1.323,00 kn
BS	PW3	SENGER RUNF	225	55	17		97	H	LM001	RFT	B	E	2	72	1.320,00 kn
BS	PW3	SENGER RUNF	225	55	17		97	H	LM32	RFT	E	F	2	72	1.326,00 kn
BS	PW2	PASSENGER	225	55	16		95	H	LM001	TL	C	E	2	72	849,00 kn
BS	PW2	PASSENGER	225	55	16	XL	99	H	LM001	TL	C	E	2	72	876,00 kn
BS	PW2	PASSENGER	225	55	16		95	H	LM32	TL	C	F	2	72	877,00 kn
BS	PW2	PASSENGER	225	55	16	XL	99	H	LM32	TL	E	E	2	71	904,00 kn

BS	PW2	PASSENGER	225	55	17		97	H	LM001	TL	B	C	2	72	1.140,00 kn
BS	PW2	PASSENGER	225	55	17		97	V	LM001	TL	B	E	2	72	1.168,00 kn
BS	PW2	PASSENGER	225	55	17	XL	101	V	LM32	TL	C	E	2	72	1.037,00 kn
BS	PW2	PASSENGER	225	55	17		97	H	LM001	TL	B	C	2	72	1.140,00 kn
BS	PW2	PASSENGER	225	55	18	XL	102	V	LM001	TL				0	1.421,00 kn
BS	PW2	PASSENGER	225	55	18		98	H	WS80	TL	F	F	2	72	1.334,00 kn
BS	PW1	PASSENGER	225	55	16	XL	99	T	WS80	TL	F	F	2	72	935,00 kn
BS	PW1	PASSENGER	225	55	17	XL	101	T	WS80	TL	F	F	2	72	1.085,00 kn
BS	4W1	4X4	225	55	17	XL	101	V	LM80EVO	TL	C	E	2	73	1.225,00 kn
BS	4W1	4X4	225	55	17		97	T	DM-V2	TL	F	F	2	72	1.105,00 kn
BS	4W1	4X4	225	55	18		98	V	LM80EVO	TL	C	E	1	68	1.481,00 kn
BS	4W1	4X4	225	55	18		98	T	DM-V2	TL	F	F	2	72	1.422,00 kn
BS	4W1	4X4	225	55	19		99	T	DM-V2	TL				0	1.560,00 kn
BS	PW2	PASSENGER	235	55	17	XL	103	V	LM32	TL	C	E	2	71	1.189,00 kn
BS	PW2	PASSENGER	235	55	18		100	H	LM001	TL				0	1.304,00 kn
BS	PW1	PASSENGER	235	55	17	XL	103	T	WS80	TL	F	F	2	72	1.174,00 kn
BS	4W1	4X4	235	55	17		99	H	LM80EVO	TL	C	E	2	69	1.276,00 kn
BS	4W1	4X4	235	55	17	XL	103	T	DM-V2	TL	F	F	2	72	1.206,00 kn
BS	4W1	4X4	235	55	18		100	H	LM80EVO	TL	C	E	2	72	1.265,00 kn
BS	4W1	4X4	235	55	18		100	T	DM-V2	TL	F	F	2	72	1.437,00 kn
BS	4W1	4X4	235	55	19	XL	105	V	LM80EVO	TL	C	C	2	72	1.428,00 kn
BS	4W1	4X4	235	55	19	XL	105	T	DM-V2	TL	F	F	2	72	1.614,00 kn
BS	4W1	4X4	235	55	20		102	T	DM-V2	TL				0	1.721,00 kn
BS	4W1	4X4	245	55	19		103	T	DM-V2	TL	F	F	2	72	1.749,00 kn
BS	4W2	4X4 RUNFLAT	255	55	18	XL	109	H	LM25-4	RFT	C	E	2	71	1.375,00 kn
BS	4W2	4X4 RUNFLAT	255	55	20	XL	110	H	LM001	RFT				0	2.315,00 kn
BS	4W1	4X4	255	55	18	XL	109	V	LM80EVO	TL	C	E	2	73	1.162,00 kn
BS	4W1	4X4	255	55	18	XL	109	H	LM001	TL	B	C	2	71	1.155,00 kn
BS	4W1	4X4	255	55	18	XL	109	H	LM80EVO	TL	C	E	2	73	1.125,00 kn
BS	4W1	4X4	255	55	18	XL	109	T	DM-V2	TL	F	F	2	73	1.488,00 kn
BS	4W1	4X4	255	55	19	XL	111	H	LM80EVO	TL	C	C	2	73	1.661,00 kn
BS	4W1	4X4	255	55	19	XL	111	H	LM001	TL				0	1.712,00 kn
BS	4W1	4X4	255	55	19	XL	111	H	LM001	TL	C	C	2	72	1.712,00 kn
BS	4W1	4X4	255	55	19	XL	111	T	DM-V2	TL	F	F	2	73	1.750,00 kn
BS	4W1	4X4	255	55	20	XL	110	T	DM-V2	TL	F	F	2	73	1.937,00 kn
BS	4W1	4X4	265	55	19		109	T	DM-V2	TL	F	F	2	73	1.674,00 kn
BS	4W1	4X4	275	55	19		111	T	DM-V2	TL	F	F	2	73	1.942,00 kn
BS	4W1	4X4	275	55	20	XL	117	T	DM-V2	TL	F	F	2	73	2.341,00 kn
BS	PW2	PASSENGER	195	50	15		82	H	LM30	TL	E	G	2	72	561,00 kn
BS	PW2	PASSENGER	195	50	16	XL	88	H	LM32	TL	C	E	2	71	884,00 kn
BS	PW2	PASSENGER	195	50	16	XL	88	H	LM32	TL	C	F	2	71	910,00 kn
BS	PW1	PASSENGER	195	50	15		82	T	LM30	TL	E	G	2	72	517,00 kn
BS	PW3	SENGER RUNF	205	50	17		89	H	LM25	RFT	E	F	2	72	1.165,00 kn
BS	PW2	PASSENGER	205	50	17	XL	93	V	LM32	TL	C	F	2	70	985,00 kn
BS	PW2	PASSENGER	205	50	17	XL	93	H	LM32	TL	C	E	2	71	929,00 kn
BS	PW2	PASSENGER	205	50	17	XL	93	H	WS80	TL	F	G	2	72	994,00 kn
BS	PW2	PASSENGER	215	50	17	XL	95	V	LM001	TL	C	E	2	72	1.005,00 kn
BS	PW2	PASSENGER	215	50	17	XL	95	H	WS80	TL	F	G	2	72	1.061,00 kn
BS	PW3	SENGER RUNF	225	50	17		94	H	LM001	RFT	B	E	2	72	1.212,00 kn
BS	PW3	SENGER RUNF	225	50	17	XL	98	V	DRIVEGW	RFT	B	C	2	72	1.079,00 kn
BS	PW3	SENGER RUNF	225	50	17		94	H	LM32	EXT	C	F	2	72	1.212,00 kn
BS	PW3	SENGER RUNF	225	50	17	XL	98	H	LM001	RFT	B	C	2	72	1.330,00 kn
BS	PW3	SENGER RUNF	225	50	18		95	H	LM001	RFT	B	C	2	72	1.472,00 kn
BS	PW2	PASSENGER	225	50	17	XL	98	H	LM001E	TL	B	E	2	72	968,00 kn
BS	PW2	PASSENGER	225	50	17	XL	98	V	LM001E	TL	B	E	2	72	1.005,00 kn
BS	PW2	PASSENGER	225	50	17		94	H	LM001	TL				0	969,00 kn
BS	PW2	PASSENGER	225	50	17	XL	98	H	LM001	TL	B	C	2	72	995,00 kn
BS	PW2	PASSENGER	225	50	17	XL	98	H	LM001	TL	C	E	2	71	996,00 kn
BS	PW2	PASSENGER	225	50	17	XL	98	H	WS80	TL	F	F	2	72	1.085,00 kn
BS	4W2	4X4 RUNFLAT	225	50	17		94	H	LM25-1	RFT	C	G	2	72	1.327,00 kn
BS	PW2	PASSENGER	235	50	18	XL	101	V	LM32	TL	C	E	2	71	1.352,00 kn
BS	PW2	PASSENGER	235	50	18		97	V	LM25V	TL				0	1.330,00 kn
BS	PW2	PASSENGER	235	50	18	XL	101	H	WS80	TL	F	F	2	72	1.474,00 kn
BS	4W1	4X4	235	50	18		97	H	LM80EVO	TL	C	E	2	72	1.347,00 kn
BS	4W1	4X4	235	50	19		99	H	LM25-4	TL	E	E	2	72	1.386,00 kn
BS	PW3	SENGER RUNF	245	50	17		99	H	LM25	RFT	E	F	2	72	1.721,00 kn
BS	PW3	SENGER RUNF	245	50	18		100	H	LM001	RFT	B	C	2	72	1.618,00 kn
BS	PW2	PASSENGER	245	50	18	XL	104	H	WS80	TL	F	F	2	72	1.530,00 kn
BS	4W2	4X4 RUNFLAT	245	50	19	XL	105	V	LM001	RFT	B	C	2	72	1.625,00 kn
BS	4W1	4X4	245	50	20		102	T	DM-V2	TL	F	G	2	72	1.774,00 kn
BS	PW2	PASSENGER	255	50	20	XL	109	H	LM001	TL				0	1.994,00 kn
BS	4W2	4X4 RUNFLAT	255	50	19	XL	107	V	LM25-4	RFT	F	E	2	73	1.654,00 kn
BS	4W2	4X4 RUNFLAT	255	50	19	XL	107	H	LM25-4	EXT	F	E	2	73	1.653,00 kn
BS	4W1	4X4	255	50	19	XL	107	V	LM80EVO	TL	C	E	2	73	1.401,00 kn
BS	4W1	4X4	255	50	19	XL	107	T	DM-V2	TL	F	F	2	73	1.720,00 kn
BS	4W1	4X4	255	50	20	XL	109	H	LM80EVO	TL	C	E	2	73	1.994,00 kn
BS	4W1	4X4	255	50	20	XL	109	T	DM-V2	TL				0	1.965,00 kn
BS	4W2	4X4 RUNFLAT	265	50	19	XL	110	H	LM001	RFT	B	C	2	71	1.749,00 kn
BS	4W1	4X4	265	50	19	XL	110	V	LM80EVO	TL	C	E	2	73	1.545,00 kn
BS	4W1	4X4	265	50	19	XL	110	T	DM-V2	TL	F	F	2	73	1.709,00 kn

BS	4W1	4X4	265	50	20		107	V	LM80EVO	TL	C	E	2	73	2.153,00 kn
BS	4W1	4X4	265	50	20		107	T	DM-V2	TL	F	F	2	73	1.962,00 kn
BS	4W1	4X4	275	50	20	XL	113	R	DM-V2	TL	F	F	2	73	2.059,00 kn
BS	4W1	4X4	275	50	22		111	T	DM-V2	TL	F	F	2	73	2.263,00 kn
BS	4W1	4X4	285	50	20		112	T	DM-V2	TL				0	1.879,00 kn
BS	4W1	4X4	285	50	20		112	T	DM-V2	TL	F	F	2	75	1.879,00 kn
BS	PW2	PASSENGER	195	45	16	XL	84	H	LM001	TL	C	E	2	72	740,00 kn
BS	PW3	SENGER RUNF	205	45	17		84	V	LM25	RFT	E	F	2	72	1.232,00 kn
BS	PW3	SENGER RUNF	205	45	17	XL	88	V	LM25	RFT	C	F	2	72	1.316,00 kn
BS	PW2	PASSENGER	205	45	17	XL	88	V	LM32	TL	C	E	2	72	1.037,00 kn
BS	PW2	PASSENGER	215	45	16	XL	90	V	LM32	TL	C	E	2	72	1.069,00 kn
BS	PW2	PASSENGER	215	45	17	XL	91	V	LM32	TL	C	F	2	71	1.072,00 kn
BS	PW2	PASSENGER	215	45	17	XL	91	W	LM001	TL				0	1.210,00 kn
BS	PW2	PASSENGER	215	45	18	XL	93	V	LM32	TL	C	E	2	71	1.174,00 kn
BS	PW2	PASSENGER	215	45	20	XL	95	V	LM32	TL	B	C	2	72	2.736,00 kn
BS	PW1	PASSENGER	215	45	17	XL	91	T	WS80	TL	F	G	2	72	1.091,00 kn
BS	PW3	SENGER RUNF	225	45	17	XL	94	V	DRIVEGW	RFT	B	C	2	72	1.013,00 kn
BS	PW3	SENGER RUNF	225	45	17	XL	94	V	LM25	RFT	E	F	2	72	1.193,00 kn
BS	PW3	SENGER RUNF	225	45	18		91	H	LM001	EXT	B	C	2	71	1.269,00 kn
BS	PW3	SENGER RUNF	225	45	18	XL	95	H	LM001	RFT				0	1.334,00 kn
BS	PW2	PASSENGER	225	45	17		91	H	LM001E	TL	B	E	2	72	909,00 kn
BS	PW2	PASSENGER	225	45	17	XL	94	V	LM001E	TL	B	C	2	72	994,00 kn
BS	PW2	PASSENGER	225	45	17		91	H	LM32	TL	C	E	2	70	936,00 kn
BS	PW2	PASSENGER	225	45	17	XL	94	H	WS80	TL	F	F	2	72	1.086,00 kn
BS	PW2	PASSENGER	225	45	18	XL	95	V	LM001	TL	C	E	2	72	1.140,00 kn
BS	PW2	PASSENGER	225	45	18		91	H	LM001	TL	B	C	2	71	1.244,00 kn
BS	PW2	PASSENGER	225	45	18	XL	95	H	LM32	TL	B	E	2	70	1.295,00 kn
BS	PW2	PASSENGER	225	45	18	XL	95	H	WS80	TL	F	F	2	72	1.304,00 kn
BS	PW2	PASSENGER	225	45	19		92	V	LM25V	TL	F	F	2	72	1.731,00 kn
BS	PW2	PASSENGER	235	45	17		94	H	LM001	TL	C	E	2	72	1.227,00 kn
BS	PW2	PASSENGER	235	45	17	XL	97	V	LM001	TL	C	E	2	72	1.214,00 kn
BS	PW2	PASSENGER	235	45	17	XL	97	H	WS80	TL	F	F	2	72	1.206,00 kn
BS	PW2	PASSENGER	235	45	18	XL	98	V	LM001	TL	C	E	2	72	1.258,00 kn
BS	4W1	4X4	235	45	19		95	V	LM80EVO	TL	C	E	2	72	1.617,00 kn
BS	PW3	SENGER RUNF	245	45	18		96	V	LM25	RFT	E	F	2	72	1.399,00 kn
BS	PW3	SENGER RUNF	245	45	19	XL	102	V	LM001	RFT	B	C	2	72	1.983,00 kn
BS	PW2	PASSENGER	245	45	17	XL	99	V	LM001	TL	C	E	2	72	1.313,00 kn
BS	PW2	PASSENGER	245	45	17	XL	99	H	WS80	TL	F	F	2	72	1.286,00 kn
BS	PW2	PASSENGER	245	45	18	XL	100	V	LM001	TL	C	E	2	72	1.258,00 kn
BS	PW2	PASSENGER	245	45	19	XL	102	V	LM32	TL	C	E	2	72	1.652,00 kn
BS	4W1	4X4	245	45	20	XL	103	T	DM-V2	TL	F	G	2	72	1.995,00 kn
BS	PW2	PASSENGER	255	45	18	XL	103	V	LM32	TL	C	E	2	73	1.514,00 kn
BS	4W1	4X4	255	45	20		101	T	DM-V2	TL	F	G	2	73	1.688,00 kn
BS	4W1	4X4	265	45	21		104	T	DM-V2	TL	F	F	2	73	3.060,00 kn
BS	4W2	4X4 RUNFLAT	275	45	20	XL	110	V	LM001	RFT	B	C	2	71	2.567,00 kn
BS	4W1	4X4	275	45	20	XL	110	V	LM80EVO	TL	C	E	2	73	2.070,00 kn
BS	4W1	4X4	275	45	20	XL	110	T	DM-V2	TL	F	F	2	73	1.899,00 kn
BS	4W1	4X4	275	45	20	XL	110	T	DM-V2	TL	F	F	2	73	1.899,00 kn
BS	4W2	4X4 RUNFLAT	285	45	21	XL	113	V	LM001	RFT				0	3.278,00 kn
BS	4W1	4X4	285	45	22		110	T	DM-V2	TL	F	F	2	75	3.984,00 kn
BS	PW2	PASSENGER	215	40	17	XL	87	V	LM32	TL	C	G	2	72	1.069,00 kn
BS	PW2	PASSENGER	215	40	18	XL	89	V	LM32	TL	C	F	2	72	1.062,00 kn
BS	PW3	SENGER RUNF	225	40	18	XL	92	V	DRIVEGW	RFT	B	E	2	72	1.134,00 kn
BS	PW2	PASSENGER	225	40	18	XL	92	V	LM001	TL	C	E	2	72	1.012,00 kn
BS	PW2	PASSENGER	225	40	18	XL	92	V	LM32	TL	C	E	2	70	1.040,00 kn
BS	PW2	PASSENGER	225	40	18	XL	92	H	WS80	TL	F	G	2	72	1.313,00 kn
BS	PW2	PASSENGER	235	40	18	XL	95	V	LM001	TL	C	E	2	72	1.242,00 kn
BS	PW2	PASSENGER	235	40	18	XL	95	H	WS80	TL	F	G	2	72	1.389,00 kn
BS	PW2	PASSENGER	235	40	19	XL	96	V	LM32	TL	C	F	2	72	1.617,00 kn
BS	PW2	PASSENGER	245	40	17	XL	95	V	LM32	TL	C	E	2	72	1.296,00 kn
BS	PW2	PASSENGER	245	40	18		93	V	LM001	TL	C	E	2	72	1.283,00 kn
BS	PW2	PASSENGER	245	40	18	XL	97	H	WS80	TL	F	G	2	72	1.441,00 kn
BS	PW2	PASSENGER	245	40	19	XL	98	V	LM001	TL	C	E	2	72	1.751,00 kn
BS	PW2	PASSENGER	245	40	20		95	W	LM32	TL	E	E	2	72	2.166,00 kn
BS	PW3	SENGER RUNF	255	40	18		95	V	LM25	EXT	E	F	2	72	1.792,00 kn
BS	PW3	SENGER RUNF	255	40	18	XL	99	V	LM32	EXT	C	E	2	72	1.768,00 kn
BS	PW2	PASSENGER	255	40	18	XL	99	V	LM001	TL	C	E	2	73	1.445,00 kn
BS	PW2	PASSENGER	255	40	19	XL	100	V	LM32	TL	C	E	2	73	1.563,00 kn
BS	PW2	PASSENGER	255	40	20		97	W	LM001	TL	C	F	2	73	2.042,00 kn
BS	4W1	4X4	275	40	20	XL	106	V	LM80EVO	TL	C	E	2	73	1.955,00 kn
BS	4W1	4X4	275	40	20	XL	106	T	DM-V2	TL	F	F	2	73	2.000,00 kn
BS	PW2	PASSENGER	235	35	19	XL	91	V	LM32	TL	C	E	2	72	1.645,00 kn
BS	PW2	PASSENGER	235	35	19	XL	91	H	WS80	TL	F	G	2	70	1.633,00 kn
BS	PW2	PASSENGER	255	35	18	XL	94	V	LM25V	TL	F	F	2	73	1.403,00 kn
BS	PW2	PASSENGER	255	35	19	XL	96	V	LM001	TL	C	E	2	73	1.668,00 kn
BS	PW2	PASSENGER	295	35	20		101	W	LM001	TL	C	E	2	75	2.474,00 kn
BS	PW2	PASSENGER	295	35	20	XL	105	W	LM32	TL	E	E	2	74	2.624,00 kn
FS	CW1	LIGHT TRUCK	185	82	14		102	Q	VANHWIN	TL	B	G	2	73	508,00 kn
FS	PW1	PASSENGER	155	80	13		79	T	WH3	TL	C	E	2	71	318,00 kn
FS	CW1	LIGHT TRUCK	195	75	16		107	R	VANHWIN	TL	B	F	2	73	687,00 kn

FS	CW1	LIGHT TRUCK	205	75	16		110	R	VANHWIN	TL	B	E	2	73	774,00 kn
FS	CW1	LIGHT TRUCK	215	75	16		113	R	VANHWIN	TL	B	E	2	73	915,00 kn
FS	PW1	PASSENGER	155	70	13		75	T	WH3	TL	C	E	2	71	302,00 kn
FS	PW1	PASSENGER	165	70	13		79	T	WINHAWK	TL	C	F	2	71	330,00 kn
FS	PW1	PASSENGER	165	70	14		81	T	WH3	TL	C	E	2	71	348,00 kn
FS	CW1	LIGHT TRUCK	165	70	14		89	R	WINH-C	TL	C	F	2	72	570,00 kn
FS	PW1	PASSENGER	175	70	13		82	T	WH3	TL	C	E	2	71	356,00 kn
FS	PW1	PASSENGER	175	70	14	XL	88	T	WH3	TL	C	E	2	71	446,00 kn
FS	PW1	PASSENGER	185	70	14		88	T	WH3	TL	C	E	2	71	447,00 kn
FS	CW1	LIGHT TRUCK	195	70	15		104	R	VANHWIN	TL	B	G	2	73	592,00 kn
FS	4W1	4X4	205	70	15		96	T	DESTWIN	TL				0	632,00 kn
FS	CW1	LIGHT TRUCK	215	70	15		109	R	VANHWIN	TL	B	F	2	73	736,00 kn
FS	4W1	4X4	215	70	16		100	H	DESTWIN	TL	B	E	2	72	717,00 kn
FS	4W1	4X4	215	70	16		100	T	DESTWIN	TL	B	E	2	72	699,00 kn
FS	CW1	LIGHT TRUCK	225	70	15		112	R	VANHWIN	TL	C	F	2	73	776,00 kn
FS	PW1	PASSENGER	155	65	14		75	T	WH3	TL	C	E	2	71	314,00 kn
FS	PW1	PASSENGER	165	65	13		77	T	WINHAWK	TL	C	F	2	71	343,00 kn
FS	PW1	PASSENGER	165	65	14		79	T	WH3	TL	C	E	2	71	384,00 kn
FS	PW1	PASSENGER	165	65	15		81	T	WH3	TL	C	E	2	71	385,00 kn
FS	PW1	PASSENGER	175	65	13		80	T	WINHAWK	TL	C	F	2	71	403,00 kn
FS	PW1	PASSENGER	175	65	14		82	T	WH3	TL	C	E	2	71	336,00 kn
FS	PW1	PASSENGER	175	65	14	XL	86	T	WH3	TL	C	E	2	71	406,00 kn
FS	PW1	PASSENGER	175	65	15		84	T	WH3	TL	C	E	2	71	368,00 kn
FS	CW1	LIGHT TRUCK	175	65	14		90	T	WINH-C	TL	B	F	2	71	589,00 kn
FS	PW1	PASSENGER	185	65	14		86	T	WH3	TL	C	E	2	71	393,00 kn
FS	PW1	PASSENGER	185	65	15		88	T	WH3	TL	C	E	2	71	377,00 kn
FS	PW2	PASSENGER	195	65	15		91	H	WH3	TL	C	E	2	72	450,00 kn
FS	PW1	PASSENGER	195	65	15	XL	95	T	WH3	TL	C	E	2	72	423,00 kn
FS	PW1	PASSENGER	195	65	15		91	T	WH3	TL	B	E	2	72	378,00 kn
FS	CW1	LIGHT TRUCK	195	65	16		104	R	VANHWIN	TL	C	F	2	73	736,00 kn
FS	PW2	PASSENGER	205	65	15		94	H	WH3	TL	C	E	2	72	601,00 kn
FS	PW1	PASSENGER	205	65	15		94	T	WH3	TL	C	E	2	72	560,00 kn
FS	CW1	LIGHT TRUCK	205	65	15		102	T	WINH-C	TL	C	F	2	71	713,00 kn
FS	CW1	LIGHT TRUCK	205	65	16		107	R	VANHWIN	TL	C	F	2	73	807,00 kn
FS	PW2	PASSENGER	215	65	15		96	H	WH3	TL	C	E	2	72	694,00 kn
FS	CW1	LIGHT TRUCK	215	65	16		109	T	VANHWIN	TL	C	F	2	73	822,00 kn
FS	CW1	LIGHT TRUCK	215	65	16		106	T	WINH-C	TL	C	F	2	71	793,00 kn
FS	4W1	4X4	215	65	16		98	H	DESTWIN	TL	B	C	2	72	642,00 kn
FS	4W1	4X4	215	65	16		98	T	DESTWIN	TL	B	C	2	72	611,00 kn
FS	CW1	LIGHT TRUCK	225	65	16		112	R	VANHWIN	TL	C	F	2	73	923,00 kn
FS	4W1	4X4	225	65	17		102	H	DESTWIN	TL	B	C	2	72	949,00 kn
FS	4W1	4X4	225	65	17		102	T	DESTWIN	TL	B	C	2	72	966,00 kn
FS	CW1	LIGHT TRUCK	235	65	16		115	R	VANHWIN	TL	C	F	2	73	1.058,00 kn
FS	4W1	4X4	235	65	17		104	H	DESTWIN	TL	B	C	2	72	934,00 kn
FS	4W1	4X4	235	65	17	XL	108	H	DESTWIN	TL	B	C	2	72	973,00 kn
FS	4W1	4X4	235	65	17	XL	108	V	DESTWIN	TL	B	C	2	72	1.013,00 kn
FS	PW1	PASSENGER	185	60	14		82	T	WH3	TL	C	E	2	71	382,00 kn
FS	PW1	PASSENGER	185	60	15		84	T	WH3	TL	C	C	2	71	386,00 kn
FS	PW1	PASSENGER	185	60	15	XL	88	T	WH3	TL	C	C	2	71	394,00 kn
FS	PW1	PASSENGER	195	60	15		88	T	WH3	TL	C	E	2	71	445,00 kn
FS	CW1	LIGHT TRUCK	195	60	16		99	T	WINH-C	TL	B	F	2	73	719,00 kn
FS	PW2	PASSENGER	205	60	15		91	H	WH3	TL	C	E	2	72	590,00 kn
FS	PW2	PASSENGER	205	60	16		92	H	WH3	TL	B	E	2	72	584,00 kn
FS	PW2	PASSENGER	205	60	16	XL	96	H	WH3	TL	B	C	2	72	618,00 kn
FS	PW1	PASSENGER	205	60	15		91	T	WH3	TL	C	E	2	72	567,00 kn
FS	PW2	PASSENGER	215	60	16	XL	99	H	WH3	TL	C	E	2	72	706,00 kn
FS	4W1	4X4	215	60	17		96	H	DESTWIN	TL	B	C	2	72	873,00 kn
FS	4W1	4X4	225	60	17		99	H	DESTWIN	TL	B	C	2	72	967,00 kn
FS	4W1	4X4	235	60	17		102	H	DESTWIN	TL	B	E	2	72	1.085,00 kn
FS	4W1	4X4	235	60	18	XL	107	H	DESTWIN	TL	B	C	2	72	1.034,00 kn
FS	PW1	PASSENGER	185	55	14		80	T	WINHAWK	TL	C	F	2	71	440,00 kn
FS	PW1	PASSENGER	185	55	15		82	T	WH3	TL	C	F	2	71	509,00 kn
FS	PW2	PASSENGER	195	55	15		85	H	WH3	TL	C	E	2	72	530,00 kn
FS	PW2	PASSENGER	195	55	16		87	H	WH3	TL	C	E	2	72	606,00 kn
FS	PW1	PASSENGER	195	55	16		87	T	WH3	TL	C	E	2	72	599,00 kn
FS	PW2	PASSENGER	205	55	16		91	H	WH3	TL	C	E	2	72	564,00 kn
FS	PW2	PASSENGER	205	55	16	XL	94	H	WH3	TL	C	E	2	72	625,00 kn
FS	PW2	PASSENGER	205	55	16	XL	94	V	WH3	TL	C	E	2	72	728,00 kn
FS	PW2	PASSENGER	205	55	17	XL	95	V	WH3	TL	C	E	2	72	883,00 kn
FS	PW1	PASSENGER	205	55	16		91	T	WH3	TL	C	E	2	72	547,00 kn
FS	PW2	PASSENGER	215	55	16		93	H	WH3	TL	C	E	2	72	720,00 kn
FS	PW2	PASSENGER	215	55	16	XL	97	H	WH3	TL	C	E	2	72	774,00 kn
FS	PW2	PASSENGER	215	55	17	XL	98	V	WH3	TL	C	E	2	72	891,00 kn
FS	4W1	4X4	215	55	18		95	H	DESTWIN	TL	B	C	2	72	1.227,00 kn
FS	PW2	PASSENGER	225	55	16	XL	99	H	WH3	TL	C	E	2	72	757,00 kn
FS	PW2	PASSENGER	225	55	16		95	H	WH3	TL	C	E	2	72	747,00 kn
FS	PW2	PASSENGER	225	55	17	XL	101	V	WH3	TL	C	E	2	72	910,00 kn
FS	4W1	4X4	235	55	17		99	H	DESTWIN	TL	B	C	2	72	1.134,00 kn
FS	4W1	4X4	235	55	18	XL	104	H	DESTWIN	TL	B	C	2	72	1.228,00 kn
FS	PW2	PASSENGER	195	50	15		82	H	WH3	TL	C	E	2	72	455,00 kn

FS	PW1	PASSENGER	195	50	15		82	T	WH3	TL	C	E	2	72	441,00 kn
FS	PW2	PASSENGER	205	50	17	XL	93	V	WH3	TL	C	E	2	72	825,00 kn
FS	PW2	PASSENGER	215	50	17	XL	95	V	WH3	TL	C	C	2	72	843,00 kn
FS	PW2	PASSENGER	225	50	17	XL	98	H	WH3	TL	C	C	2	72	839,00 kn
FS	PW2	PASSENGER	225	50	17	XL	98	V	WH3	TL	C	C	2	72	878,00 kn
FS	4W1	4X4	235	50	18	XL	101	V	DESTWIN	TL	B	C	2	72	1.239,00 kn
FS	PW2	PASSENGER	205	45	17	XL	88	V	WH3	TL	C	E	2	72	874,00 kn
FS	PW2	PASSENGER	225	45	17		91	H	WH3	TL	B	E	2	71	769,00 kn
FS	PW2	PASSENGER	225	45	17	XL	94	V	WH3	TL	C	E	2	71	854,00 kn
FS	PW2	PASSENGER	225	45	18	XL	95	V	WH3	TL	C	E	2	72	945,00 kn
FS	PW2	PASSENGER	235	45	17	XL	97	V	WH3	TL	C	E	2	72	999,00 kn
FS	PW2	PASSENGER	235	45	18	XL	98	V	WH3	TL	C	C	2	72	1.092,00 kn
FS	PW2	PASSENGER	245	45	18	XL	100	V	WH3	TL	C	C	2	72	1.085,00 kn
FS	PW2	PASSENGER	225	40	18	XL	92	V	WH3	TL	C	E	2	72	905,00 kn
FS	PW2	PASSENGER	245	40	18	XL	97	V	WH3	TL	C	E	2	72	1.054,00 kn

Sve navedene cijene su s PDV-om.
Zadržavamo pravo promjene cijena.

Vašem vozilu najbolji prijatelj!

Telefon: 021 210 710
Mail: info@jadrantrans.hr
Web: www.jadrantrans.hr